

HIV Infection Cases Reported during 2002
(from the 02/27/03 HARS data set)

STATE = Texas

Age at Diagnosis * Sex Crosstabulation^a

			Sex		Total
			Male	Female	
Age at Diagnosis	0 (0-11 mo)	Count	9	9	18
		% within Sex	.3%	.8%	.4%
	1 (12-23 mo)	Count		1	1
		% within Sex		.1%	.0%
	2-4	Count	2		2
		% within Sex	.1%		.0%
	5-12	Count	4	4	8
		% within Sex	.1%	.3%	.2%
	13-19	Count	80	92	172
		% within Sex	2.2%	7.9%	3.6%
	20-24	Count	375	179	554
		% within Sex	10.5%	15.4%	11.7%
	25-29	Count	533	219	752
		% within Sex	14.9%	18.8%	15.9%
	30-39	Count	1423	378	1801
		% within Sex	39.9%	32.4%	38.1%
	40-49	Count	874	214	1088
		% within Sex	24.5%	18.4%	23.0%
	50-59	Count	221	49	270
		% within Sex	6.2%	4.2%	5.7%
	60-69	Count	30	16	46
		% within Sex	.8%	1.4%	1.0%
	70+	Count	9	2	11
		% within Sex	.3%	.2%	.2%
	Unknown	Count	6	2	8
		% within Sex	.2%	.2%	.2%
Total		Count	3566	1165	4731
		% within Sex	100.0%	100.0%	100.0%

a. STATE = Texas

HIV Infection Cases Reported during 2002
(from the 02/27/03 HARS data set)

Race-Ethnicity * Sex Crosstabulation^a

			Sex		Total
			Male	Female	
Race-Ethnicity	White Non-Hispanic	Count	1524	265	1789
		% within Sex	42.7%	22.7%	37.8%
	African American	Count	1165	680	1845
		% within Sex	32.7%	58.4%	39.0%
	Hispanic	Count	829	208	1037
		% within Sex	23.2%	17.9%	21.9%
	Asian-Pacific Islander	Count	18	5	23
		% within Sex	.5%	.4%	.5%
	Am Indian-Alaskan	Count	7	3	10
		% within Sex	.2%	.3%	.2%
	Not Specified	Count	23	4	27
		% within Sex	.6%	.3%	.6%
	Total		3566	1165	4731
			100.0%	100.0%	100.0%

a. STATE = Texas

Mode of Exposure * Sex Crosstabulation^a

			Sex		Total
			Male	Female	
Mode of Exposure	Male-to-Male Sex	Count	2036		2036
		% within Sex	57.1%		43.0%
	IDU	Count	348	205	553
		% within Sex	9.8%	17.6%	11.7%
	M-M & IDU	Count	217		217
		% within Sex	6.1%		4.6%
	Hemophiliac	Count	2		2
		% within Sex	.1%		.0%
	Heterosexual Contact	Count	213	567	780
		% within Sex	6.0%	48.7%	16.5%
	Transfusion	Count	13	7	20
		% within Sex	.4%	.6%	.4%
	Not Classified	Count	722	372	1094
		% within Sex	20.2%	31.9%	23.1%
	Ped Hemophiliac	Count	1		1
		% within Sex	.0%		.0%
	Ped Parent at Risk	Count	11	12	23
		% within Sex	.3%	1.0%	.5%
	Ped Other-Undet	Count	3	2	5
		% within Sex	.1%	.2%	.1%
	Total		3566	1165	4731
			100.0%	100.0%	100.0%

a. STATE = Texas

HIV Infection Cases Reported during 2002
(from the 02/27/03 HARS data set)

Race-Ethnicity * Adult-Ped Crosstabulation^a

			Adult-Ped			Total
			Pediatric	Adult/Adol escent	Unknown	
Race-Ethnicity	White Non-Hispanic	Count	4	1783	2	1789
		% within Adult-Ped	13.8%	38.0%	25.0%	37.8%
	African American	Count	21	1819	5	1845
		% within Adult-Ped	72.4%	38.8%	62.5%	39.0%
	Hispanic	Count	4	1032	1	1037
		% within Adult-Ped	13.8%	22.0%	12.5%	21.9%
	Asian-Pacific Islander	Count		23		23
		% within Adult-Ped		.5%		.5%
	Am Indian-Alaskan	Count		10		10
		% within Adult-Ped		.2%		.2%
	Not Specified	Count		27		27
		% within Adult-Ped		.6%		.6%
Total		Count	29	4694	8	4731
		% within Adult-Ped	100.0%	100.0%	100.0%	100.0%

a. STATE = Texas

Sex * Adult-Ped Crosstabulation^a

			Adult-Ped			Total
			Pediatric	Adult/Adol escent	Unknown	
Sex	Male	Count	15	3545	6	3566
		% within Adult-Ped	51.7%	75.5%	75.0%	75.4%
	Female	Count	14	1149	2	1165
		% within Adult-Ped	48.3%	24.5%	25.0%	24.6%
Total		Count	29	4694	8	4731
		% within Adult-Ped	100.0%	100.0%	100.0%	100.0%

a. STATE = Texas

HIV Infection Cases Reported during 2001
(from the 02/27/03 HARS data set)

STATE = Texas

Age at Diagnosis * Sex Crosstabulation^a

			Sex		Total
			Male	Female	
Age at Diagnosis	0 (0-11 mo)	Count	14	6	20
		% within Sex	.5%	.6%	.5%
	1 (12-23 mo)	Count		2	2
		% within Sex		.2%	.1%
	2-4	Count	3		3
		% within Sex	.1%		.1%
	5-12	Count	2	3	5
		% within Sex	.1%	.3%	.1%
	13-19	Count	63	124	187
		% within Sex	2.2%	11.4%	4.7%
	20-24	Count	333	190	523
		% within Sex	11.7%	17.5%	13.3%
	25-29	Count	472	190	662
		% within Sex	16.5%	17.5%	16.8%
	30-39	Count	1183	338	1521
		% within Sex	41.5%	31.1%	38.6%
	40-49	Count	582	159	741
		% within Sex	20.4%	14.6%	18.8%
	50-59	Count	158	61	219
		% within Sex	5.5%	5.6%	5.6%
	60-69	Count	34	10	44
		% within Sex	1.2%	.9%	1.1%
	70+	Count	8	3	11
		% within Sex	.3%	.3%	.3%
	Unknown	Count	2		2
		% within Sex	.1%		.1%
Total		Count	2854	1086	3940
		% within Sex	100.0%	100.0%	100.0%

a. STATE = Texas

HIV Infection Cases Reported during 2001
(from the 02/27/03 HARS data set)

Race-Ethnicity * Sex Crosstabulation^a

			Sex		Total
			Male	Female	
Race-Ethnicity	White Non-Hispanic	Count	1167	242	1409
		% within Sex	40.9%	22.3%	35.8%
	African American	Count	996	650	1646
		% within Sex	34.9%	59.9%	41.8%
	Hispanic	Count	653	187	840
		% within Sex	22.9%	17.2%	21.3%
	Asian-Pacific Islander	Count	18	3	21
		% within Sex	.6%	.3%	.5%
	Am Indian-Alaskan	Count	6		6
		% within Sex	.2%		.2%
	Not Specified	Count	14	4	18
		% within Sex	.5%	.4%	.5%
	Total		2854	1086	3940
			100.0%	100.0%	100.0%

a. STATE = Texas

Mode of Exposure * Sex Crosstabulation^a

			Sex		Total
			Male	Female	
Mode of Exposure	Male-to-Male Sex	Count	1427		1427
		% within Sex	50.0%		36.2%
	IDU	Count	367	242	609
		% within Sex	12.9%	22.3%	15.5%
	M-M & IDU	Count	220		220
		% within Sex	7.7%		5.6%
	Hemophiliac	Count	2		2
		% within Sex	.1%		.1%
	Heterosexual Contact	Count	162	418	580
		% within Sex	5.7%	38.5%	14.7%
	Transfusion	Count	5	8	13
		% within Sex	.2%	.7%	.3%
	Not Classified	Count	652	407	1059
		% within Sex	22.8%	37.5%	26.9%
	Ped Parent at Risk	Count	16	9	25
		% within Sex	.6%	.8%	.6%
	Ped Other-Undet	Count	3	2	5
		% within Sex	.1%	.2%	.1%
	Total		2854	1086	3940
			100.0%	100.0%	100.0%

a. STATE = Texas

HIV Infection Cases Reported during 2001
(from the 02/27/03 HARS data set)

Race-Ethnicity * Adult-Ped Crosstabulation^a

			Adult-Ped			Total
			Pediatric	Adult/Adol escent	Unknown	
Race-Ethnicity	White Non-Hispanic	Count	6	1402	1	1409
		% within Adult-Ped	20.0%	35.9%	50.0%	35.8%
	African American	Count	13	1633		1646
		% within Adult-Ped	43.3%	41.8%		41.8%
	Hispanic	Count	11	828	1	840
		% within Adult-Ped	36.7%	21.2%	50.0%	21.3%
	Asian-Pacific Islander	Count		21		21
		% within Adult-Ped		.5%		.5%
	Am Indian-Alaskan	Count		6		6
		% within Adult-Ped		.2%		.2%
	Not Specified	Count		18		18
		% within Adult-Ped		.5%		.5%
Total		Count	30	3908	2	3940
		% within Adult-Ped	100.0%	100.0%	100.0%	100.0%

a. STATE = Texas

Sex * Adult-Ped Crosstabulation^a

			Adult-Ped			Total
			Pediatric	Adult/Adol escent	Unknown	
Sex	Male	Count	19	2833	2	2854
		% within Adult-Ped	63.3%	72.5%	100.0%	72.4%
	Female	Count	11	1075		1086
		% within Adult-Ped	36.7%	27.5%		27.6%
Total		Count	30	3908	2	3940
		% within Adult-Ped	100.0%	100.0%	100.0%	100.0%

a. STATE = Texas

Cumulative Reported HIV Infection Cases through 12/31/02
(from the 02/27/03 HARS data set)

STATE = Texas

Age at Diagnosis * Sex Crosstabulation^a

			Sex		Total
			Male	Female	
Age at Diagnosis	0 (0-11 mo)	Count	101	88	189
		% within Sex	.9%	2.1%	1.2%
	1 (12-23 mo)	Count	17	27	44
		% within Sex	.2%	.6%	.3%
	2-4	Count	27	19	46
		% within Sex	.2%	.4%	.3%
	5-12	Count	40	23	63
		% within Sex	.4%	.5%	.4%
	13-19	Count	220	438	658
		% within Sex	2.0%	10.3%	4.3%
	20-24	Count	1177	748	1925
		% within Sex	10.7%	17.6%	12.6%
	25-29	Count	1844	759	2603
		% within Sex	16.7%	17.9%	17.0%
	30-39	Count	4520	1273	5793
		% within Sex	41.0%	29.9%	37.9%
	40-49	Count	2327	636	2963
		% within Sex	21.1%	15.0%	19.4%
	50-59	Count	591	185	776
		% within Sex	5.4%	4.4%	5.1%
	60-69	Count	110	42	152
		% within Sex	1.0%	1.0%	1.0%
	70+	Count	26	9	35
		% within Sex	.2%	.2%	.2%
	Unknown	Count	16	4	20
		% within Sex	.1%	.1%	.1%
Total		Count	11016	4251	15267
		% within Sex	100.0%	100.0%	100.0%

a. STATE = Texas

Cumulative Reported HIV Infection Cases through 12/31/02
(from the 02/27/03 HARS data set)

Race-Ethnicity * Sex Crosstabulation^a

			Sex		Total
			Male	Female	
Race-Ethnicity	White Non-Hispanic	Count	4616	964	5580
		% within Sex	41.9%	22.7%	36.5%
	African American	Count	3871	2538	6409
		% within Sex	35.1%	59.7%	42.0%
	Hispanic	Count	2388	714	3102
		% within Sex	21.7%	16.8%	20.3%
	Asian-Pacific Islander	Count	59	12	71
		% within Sex	.5%	.3%	.5%
	Am Indian-Alaskan	Count	26	7	33
		% within Sex	.2%	.2%	.2%
	Not Specified	Count	56	16	72
		% within Sex	.5%	.4%	.5%
	Total		11016	4251	15267
			100.0%	100.0%	100.0%

a. STATE = Texas

Mode of Exposure * Sex Crosstabulation^a

			Sex		Total
			Male	Female	
Mode of Exposure	Male-to-Male Sex	Count	5737		5737
		% within Sex	52.1%		37.6%
	IDU	Count	1358	917	2275
		% within Sex	12.3%	21.6%	14.9%
	M-M & IDU	Count	928		928
		% within Sex	8.4%		6.1%
	Hemophiliac	Count	9	2	11
		% within Sex	.1%	.0%	.1%
	Heterosexual Contact	Count	696	1800	2496
		% within Sex	6.3%	42.3%	16.3%
	Transfusion	Count	23	23	46
		% within Sex	.2%	.5%	.3%
	Not Classified	Count	2080	1352	3432
		% within Sex	18.9%	31.8%	22.5%
	Ped Hemophiliac	Count	13	1	14
		% within Sex	.1%	.0%	.1%
	Ped Parent at Risk	Count	149	140	289
		% within Sex	1.4%	3.3%	1.9%
	Ped Transfusion	Count	1	3	4
		% within Sex	.0%	.1%	.0%
	Ped Other-Undet	Count	22	13	35
		% within Sex	.2%	.3%	.2%
	Total		11016	4251	15267
			100.0%	100.0%	100.0%

a. STATE = Texas

Cumulative Reported HIV Infection Cases through 12/31/02
(from the 02/27/03 HARS data set)

Race-Ethnicity * Adult-Ped Crosstabulation^a

			Adult-Ped			Total
			Pediatric	Adult/Adol escent	Unknown	
Race-Ethnicity	White Non-Hispanic	Count	76	5494	10	5580
		% within Adult-Ped	22.2%	36.9%	50.0%	36.5%
	African American	Count	194	6209	6	6409
		% within Adult-Ped	56.7%	41.7%	30.0%	42.0%
	Hispanic	Count	65	3033	4	3102
		% within Adult-Ped	19.0%	20.3%	20.0%	20.3%
	Asian-Pacific Islander	Count	1	70		71
		% within Adult-Ped	.3%	.5%		.5%
	Am Indian-Alaskan	Count		33		33
		% within Adult-Ped		.2%		.2%
	Not Specified	Count	6	66		72
		% within Adult-Ped	1.8%	.4%		.5%
Total		Count	342	14905	20	15267
		% within Adult-Ped	100.0%	100.0%	100.0%	100.0%

a. STATE = Texas

Sex * Adult-Ped Crosstabulation^a

			Adult-Ped			Total
			Pediatric	Adult/Adol escent	Unknown	
Sex	Male	Count	185	10815	16	11016
		% within Adult-Ped	54.1%	72.6%	80.0%	72.2%
	Female	Count	157	4090	4	4251
		% within Adult-Ped	45.9%	27.4%	20.0%	27.8%
Total		Count	342	14905	20	15267
		% within Adult-Ped	100.0%	100.0%	100.0%	100.0%

a. STATE = Texas

Living Reported HIV Infection Cases through 12/31/02
(from the 02/27/03 HARS data set)

STATE = Texas

Age at Diagnosis * Sex Crosstabulation^a

			Sex		Total
			Male	Female	
Age at Diagnosis	0 (0-11 mo)	Count	94	88	182
		% within Sex	.9%	2.1%	1.2%
	1 (12-23 mo)	Count	17	27	44
		% within Sex	.2%	.6%	.3%
	2-4	Count	27	18	45
		% within Sex	.2%	.4%	.3%
	5-12	Count	38	21	59
		% within Sex	.4%	.5%	.4%
	13-19	Count	220	437	657
		% within Sex	2.0%	10.4%	4.4%
	20-24	Count	1173	746	1919
		% within Sex	10.8%	17.7%	12.8%
	25-29	Count	1832	754	2586
		% within Sex	16.9%	17.9%	17.2%
	30-39	Count	4470	1259	5729
		% within Sex	41.3%	29.9%	38.1%
	40-49	Count	2265	620	2885
		% within Sex	20.9%	14.7%	19.2%
	50-59	Count	557	180	737
		% within Sex	5.1%	4.3%	4.9%
	60-69	Count	103	41	144
		% within Sex	1.0%	1.0%	1.0%
	70+	Count	21	9	30
		% within Sex	.2%	.2%	.2%
	Unknown	Count	16	4	20
		% within Sex	.1%	.1%	.1%
Total		Count	10833	4204	15037
		% within Sex	100.0%	100.0%	100.0%

a. STATE = Texas

Living Reported HIV Infection Cases through 12/31/02
(from the 02/27/03 HARS data set)

Current Age * Sex Crosstabulation^a

			Sex		Total	
			Male	Female		
Current Age	0 (0-11 mo)	Count	3	5	8	
		% within Sex	.0%	.1%	.1%	
	1 (12-23 mo)	Count	11	6	17	
		% within Sex	.1%	.1%	.1%	
	2-4	Count	32	25	57	
		% within Sex	.3%	.6%	.4%	
	5-12	Count	91	93	184	
		% within Sex	.8%	2.2%	1.2%	
	13-19	Count	74	130	204	
		% within Sex	.7%	3.1%	1.4%	
	20-24	Count	650	536	1186	
		% within Sex	6.0%	12.7%	7.9%	
	25-29	Count	1223	719	1942	
		% within Sex	11.3%	17.1%	12.9%	
	30-39	Count	4343	1464	5807	
		% within Sex	40.1%	34.8%	38.6%	
	40-49	Count	3275	880	4155	
		% within Sex	30.2%	20.9%	27.6%	
	50-59	Count	912	264	1176	
		% within Sex	8.4%	6.3%	7.8%	
	60-69	Count	177	68	245	
		% within Sex	1.6%	1.6%	1.6%	
	70+	Count	36	11	47	
		% within Sex	.3%	.3%	.3%	
	Unknown	Count	6	3	9	
		% within Sex	.1%	.1%	.1%	
	Total		Count	10833	4204	15037
			% within Sex	100.0%	100.0%	100.0%

a. STATE = Texas

Living Reported HIV Infection Cases through 12/31/02
(from the 02/27/03 HARS data set)

Race-Ethnicity * Sex Crosstabulation^a

			Sex		Total
			Male	Female	
Race-Ethnicity	White Non-Hispanic	Count	4545	951	5496
		% within Sex	42.0%	22.6%	36.5%
	African American	Count	3801	2511	6312
		% within Sex	35.1%	59.7%	42.0%
	Hispanic	Count	2349	707	3056
		% within Sex	21.7%	16.8%	20.3%
	Asian-Pacific Islander	Count	58	12	70
		% within Sex	.5%	.3%	.5%
	Am Indian-Alaskan	Count	24	7	31
		% within Sex	.2%	.2%	.2%
	Not Specified	Count	56	16	72
		% within Sex	.5%	.4%	.5%
	Total		10833	4204	15037
			100.0%	100.0%	100.0%

a. STATE = Texas

Mode of Exposure * Sex Crosstabulation^a

			Sex		Total
			Male	Female	
Mode of Exposure	Male-to-Male Sex	Count	5672		5672
		% within Sex	52.4%		37.7%
	IDU	Count	1330	902	2232
		% within Sex	12.3%	21.5%	14.8%
	M-M & IDU	Count	914		914
		% within Sex	8.4%		6.1%
	Hemophiliac	Count	9	2	11
		% within Sex	.1%	.0%	.1%
	Heterosexual Contact	Count	684	1791	2475
		% within Sex	6.3%	42.6%	16.5%
	Transfusion	Count	22	23	45
		% within Sex	.2%	.5%	.3%
	Not Classified	Count	2026	1332	3358
		% within Sex	18.7%	31.7%	22.3%
	Ped Hemophiliac	Count	12	1	13
		% within Sex	.1%	.0%	.1%
	Ped Parent at Risk	Count	142	137	279
		% within Sex	1.3%	3.3%	1.9%
	Ped Transfusion	Count	1	3	4
		% within Sex	.0%	.1%	.0%
	Ped Other-Undet	Count	21	13	34
		% within Sex	.2%	.3%	.2%
	Total		10833	4204	15037
			100.0%	100.0%	100.0%

a. STATE = Texas

Living Reported HIV Infection Cases through 12/31/02
(from the 02/27/03 HARS data set)

Race-Ethnicity * Adult-Ped Crosstabulation^a

			Adult-Ped			Total
			Pediatric	Adult/Adol escent	Unknown	
Race-Ethnicity	White Non-Hispanic	Count	71	5415	10	5496
		% within Adult-Ped	21.5%	36.9%	50.0%	36.5%
	African American	Count	187	6119	6	6312
		% within Adult-Ped	56.7%	41.7%	30.0%	42.0%
	Hispanic	Count	65	2987	4	3056
		% within Adult-Ped	19.7%	20.3%	20.0%	20.3%
	Asian-Pacific Islander	Count	1	69		70
		% within Adult-Ped	.3%	.5%		.5%
	Am Indian-Alaskan	Count		31		31
		% within Adult-Ped		.2%		.2%
	Not Specified	Count	6	66		72
		% within Adult-Ped	1.8%	.4%		.5%
Total		Count	330	14687	20	15037
		% within Adult-Ped	100.0%	100.0%	100.0%	100.0%

a. STATE = Texas

Sex * Adult-Ped Crosstabulation^a

			Adult-Ped			Total
			Pediatric	Adult/Adol escent	Unknown	
Sex	Male	Count	176	10641	16	10833
		% within Adult-Ped	53.3%	72.5%	80.0%	72.0%
	Female	Count	154	4046	4	4204
		% within Adult-Ped	46.7%	27.5%	20.0%	28.0%
Total		Count	330	14687	20	15037
		% within Adult-Ped	100.0%	100.0%	100.0%	100.0%

a. STATE = Texas

AIDS Cases Reported during 2002
(from the 02/27/03 HARS data set)

STATE = Texas

Age at Diagnosis * Sex Crosstabulation^a

			Sex		Total
			Male	Female	
Age at Diagnosis	0 (0-11 mo)	Count	1	1	2
		% within Sex	.0%	.2%	.1%
	1 (12-23 mo)	Count		1	1
		% within Sex		.2%	.0%
	2-4	Count	2		2
		% within Sex	.1%		.1%
	5-12	Count	1	1	2
		% within Sex	.0%	.2%	.1%
	13-19	Count	14	10	24
		% within Sex	.6%	1.6%	.8%
	20-24	Count	79	52	131
		% within Sex	3.4%	8.2%	4.4%
	25-29	Count	241	102	343
		% within Sex	10.4%	16.0%	11.6%
	30-39	Count	966	237	1203
		% within Sex	41.7%	37.1%	40.7%
	40-49	Count	699	166	865
		% within Sex	30.2%	26.0%	29.3%
	50-59	Count	243	57	300
		% within Sex	10.5%	8.9%	10.1%
	60-69	Count	60	11	71
		% within Sex	2.6%	1.7%	2.4%
	70+	Count	11		11
		% within Sex	.5%		.4%
	Unknown	Count	1		1
		% within Sex	.0%		.0%
Total		Count	2318	638	2956
		% within Sex	100.0%	100.0%	100.0%

a. STATE = Texas

AIDS Cases Reported during 2002
(from the 02/27/03 HARS data set)

Race-Ethnicity * Sex Crosstabulation^a

			Sex		Total
			Male	Female	
Race-Ethnicity	White Non-Hispanic	Count	852	106	958
		% within Sex	36.8%	16.6%	32.4%
	African American	Count	784	404	1188
		% within Sex	33.8%	63.3%	40.2%
	Hispanic	Count	662	125	787
		% within Sex	28.6%	19.6%	26.6%
	Asian-Pacific Islander	Count	14	3	17
		% within Sex	.6%	.5%	.6%
	Am Indian-Alaskan	Count	3		3
		% within Sex	.1%		.1%
	Not Specified	Count	3		3
		% within Sex	.1%		.1%
	Total		2318	638	2956
			100.0%	100.0%	100.0%

a. STATE = Texas

Mode of Exposure * Sex Crosstabulation^a

			Sex		Total
			Male	Female	
Mode of Exposure	Male-to-Male Sex	Count	1193		1193
		% within Sex	51.5%		40.4%
	IDU	Count	292	143	435
		% within Sex	12.6%	22.4%	14.7%
	M-M & IDU	Count	147		147
		% within Sex	6.3%		5.0%
	Hemophiliac	Count	3		3
		% within Sex	.1%		.1%
	Heterosexual Contact	Count	166	283	449
		% within Sex	7.2%	44.4%	15.2%
	Transfusion	Count	10	9	19
		% within Sex	.4%	1.4%	.6%
	Not Classified	Count	503	199	702
		% within Sex	21.7%	31.2%	23.7%
	Ped Parent at Risk	Count	3	3	6
		% within Sex	.1%	.5%	.2%
	Ped Transfusion	Count		1	1
		% within Sex		.2%	.0%
	Ped Other-Undet	Count	1		1
		% within Sex	.0%		.0%
	Total		2318	638	2956
			100.0%	100.0%	100.0%

a. STATE = Texas

AIDS Cases Reported during 2002
(from the 02/27/03 HARS data set)

Race-Ethnicity * Adult-Ped Crosstabulation^a

			Adult-Ped			Total
			Pediatric	Adult/Adol escent	Unknown	
Race-Ethnicity	White Non-Hispanic	Count	1	956	1	958
		% within Adult-Ped	14.3%	32.4%	100.0%	32.4%
	African American	Count	2	1186		1188
		% within Adult-Ped	28.6%	40.2%		40.2%
	Hispanic	Count	3	784		787
		% within Adult-Ped	42.9%	26.6%		26.6%
	Asian-Pacific Islander	Count	1	16		17
		% within Adult-Ped	14.3%	.5%		.6%
	Am Indian-Alaskan	Count		3		3
		% within Adult-Ped		.1%		.1%
	Not Specified	Count		3		3
		% within Adult-Ped		.1%		.1%
Total		Count	7	2948	1	2956
		% within Adult-Ped	100.0%	100.0%	100.0%	100.0%

a. STATE = Texas

Sex * Adult-Ped Crosstabulation^a

			Adult-Ped			Total
			Pediatric	Adult/Adol escent	Unknown	
Sex	Male	Count	4	2313	1	2318
		% within Adult-Ped	57.1%	78.5%	100.0%	78.4%
	Female	Count	3	635		638
		% within Adult-Ped	42.9%	21.5%		21.6%
Total		Count	7	2948	1	2956
		% within Adult-Ped	100.0%	100.0%	100.0%	100.0%

a. STATE = Texas

AIDS Cases Reported during 2001
(from the 02/27/03 HARS data set)

STATE = Texas

Age at Diagnosis * Sex Crosstabulation^a

			Sex		Total
			Male	Female	
Age at Diagnosis	0 (0-11 mo)	Count	1		1
		% within Sex	.0%		.0%
	2-4	Count	1		1
		% within Sex	.0%		.0%
	5-12	Count	1		1
		% within Sex	.0%		.0%
	13-19	Count	8	8	16
		% within Sex	.3%	1.3%	.5%
	20-24	Count	92	55	147
		% within Sex	4.0%	8.6%	5.0%
	25-29	Count	225	95	320
		% within Sex	9.7%	14.8%	10.9%
	30-39	Count	974	256	1230
		% within Sex	42.2%	40.0%	41.7%
	40-49	Count	723	151	874
		% within Sex	31.3%	23.6%	29.6%
	50-59	Count	217	54	271
		% within Sex	9.4%	8.4%	9.2%
	60-69	Count	52	16	68
		% within Sex	2.3%	2.5%	2.3%
	70+	Count	15	5	20
		% within Sex	.6%	.8%	.7%
Total		Count	2309	640	2949
		% within Sex	100.0%	100.0%	100.0%

a. STATE = Texas

AIDS Cases Reported during 2001
(from the 02/27/03 HARS data set)

Race-Ethnicity * Sex Crosstabulation^a

			Sex		Total
			Male	Female	
Race-Ethnicity	White Non-Hispanic	Count	854	113	967
		% within Sex	37.0%	17.7%	32.8%
	African American	Count	752	391	1143
		% within Sex	32.6%	61.1%	38.8%
	Hispanic	Count	683	128	811
		% within Sex	29.6%	20.0%	27.5%
	Asian-Pacific Islander	Count	16	4	20
		% within Sex	.7%	.6%	.7%
	Am Indian-Alaskan	Count	1	2	3
		% within Sex	.0%	.3%	.1%
	Not Specified	Count	3	2	5
		% within Sex	.1%	.3%	.2%
	Total		2309	640	2949
			100.0%	100.0%	100.0%

a. STATE = Texas

Mode of Exposure * Sex Crosstabulation^a

			Sex		Total
			Male	Female	
Mode of Exposure	Male-to-Male Sex	Count	1129		1129
		% within Sex	48.9%		38.3%
	IDU	Count	294	133	427
		% within Sex	12.7%	20.8%	14.5%
	M-M & IDU	Count	167		167
		% within Sex	7.2%		5.7%
	Hemophiliac	Count	4		4
		% within Sex	.2%		.1%
	Heterosexual Contact	Count	156	273	429
		% within Sex	6.8%	42.7%	14.5%
	Transfusion	Count	10	8	18
		% within Sex	.4%	1.3%	.6%
	Not Classified	Count	543	225	768
		% within Sex	23.5%	35.2%	26.0%
	Ped Hemophiliac	Count	2		2
		% within Sex	.1%		.1%
	Ped Parent at Risk	Count	3		3
		% within Sex	.1%		.1%
	Ped Transfusion	Count	1		1
		% within Sex	.0%		.0%
	Ped Other-Undet	Count		1	1
		% within Sex		.2%	.0%
	Total		2309	640	2949
			100.0%	100.0%	100.0%

a. STATE = Texas

AIDS Cases Reported during 2001
(from the 02/27/03 HARS data set)

Race-Ethnicity * Adult-Ped Crosstabulation^a

			Adult-Ped		Total
			Pediatric	Adult/Adol escent	
Race-Ethnicity	White Non-Hispanic	Count		967	967
		% within Adult-Ped		32.8%	32.8%
	African American	Count	2	1141	1143
		% within Adult-Ped	66.7%	38.7%	38.8%
	Hispanic	Count	1	810	811
		% within Adult-Ped	33.3%	27.5%	27.5%
	Asian-Pacific Islander	Count		20	20
		% within Adult-Ped		.7%	.7%
	Am Indian-Alaskan	Count		3	3
		% within Adult-Ped		.1%	.1%
	Not Specified	Count		5	5
		% within Adult-Ped		.2%	.2%
Total		Count	3	2946	2949
		% within Adult-Ped	100.0%	100.0%	100.0%

a. STATE = Texas

Sex * Adult-Ped Crosstabulation^a

			Adult-Ped		Total
			Pediatric	Adult/Adol escent	
Sex	Male	Count	3	2306	2309
		% within Adult-Ped	100.0%	78.3%	78.3%
	Female	Count		640	640
		% within Adult-Ped		21.7%	21.7%
Total		Count	3	2946	2949
		% within Adult-Ped	100.0%	100.0%	100.0%

a. STATE = Texas

Cumulative Reported AIDS Cases through 12/31/02
(from the 02/27/03 HARS data set)

STATE = Texas

Age at Diagnosis * Sex Crosstabulation^a

			Sex		Total
			Male	Female	
Age at Diagnosis	0 (0-11 mo)	Count	75	71	146
		% within Sex	.1%	1.0%	.2%
	1 (12-23 mo)	Count	39	27	66
		% within Sex	.1%	.4%	.1%
	2-4	Count	38	50	88
		% within Sex	.1%	.7%	.1%
	5-12	Count	54	37	91
		% within Sex	.1%	.5%	.2%
	13-19	Count	250	178	428
		% within Sex	.5%	2.4%	.7%
	20-24	Count	2227	698	2925
		% within Sex	4.2%	9.4%	4.9%
	25-29	Count	8365	1310	9675
		% within Sex	15.9%	17.6%	16.1%
	30-39	Count	24842	2884	27726
		% within Sex	47.2%	38.7%	46.2%
	40-49	Count	12164	1485	13649
		% within Sex	23.1%	19.9%	22.7%
	50-59	Count	3415	482	3897
		% within Sex	6.5%	6.5%	6.5%
	60-69	Count	961	168	1129
		% within Sex	1.8%	2.3%	1.9%
	70+	Count	197	60	257
		% within Sex	.4%	.8%	.4%
	Unknown	Count	1		1
		% within Sex	.0%		.0%
Total		Count	52628	7450	60078
		% within Sex	100.0%	100.0%	100.0%

a. STATE = Texas

Cumulative Reported AIDS Cases through 12/31/02
(from the 02/27/03 HARS data set)

Race-Ethnicity * Sex Crosstabulation^a

			Sex		Total
			Male	Female	
Race-Ethnicity	White Non-Hispanic	Count	28500	1990	30490
		% within Sex	54.2%	26.7%	50.8%
	African American	Count	13384	4132	17516
		% within Sex	25.4%	55.5%	29.2%
	Hispanic	Count	10468	1293	11761
		% within Sex	19.9%	17.4%	19.6%
	Asian-Pacific Islander	Count	178	27	205
		% within Sex	.3%	.4%	.3%
	Am Indian-Alaskan	Count	77	6	83
		% within Sex	.1%	.1%	.1%
	Not Specified	Count	21	2	23
		% within Sex	.0%	.0%	.0%
	Total	Count	52628	7450	60078
		% within Sex	100.0%	100.0%	100.0%

a. STATE = Texas

Cumulative Reported AIDS Cases through 12/31/02
(from the 02/27/03 HARS data set)

Mode of Exposure * Sex Crosstabulation^a

			Sex		Total
			Male	Female	
Mode of Exposure	Male-to-Male Sex	Count	34342		34342
		% within Sex	65.3%		57.2%
	IDU	Count	5962	2523	8485
		% within Sex	11.3%	33.9%	14.1%
	M-M & IDU	Count	5415		5415
		% within Sex	10.3%		9.0%
	Hemophiliac	Count	245	9	254
		% within Sex	.5%	.1%	.4%
	Heterosexual Contact	Count	2156	3152	5308
		% within Sex	4.1%	42.3%	8.8%
	Transfusion	Count	432	255	687
		% within Sex	.8%	3.4%	1.1%
	Confirmed Other	Count		2	2
		% within Sex		.0%	.0%
	Not Classified	Count	3833	1306	5139
		% within Sex	7.3%	17.5%	8.6%
	Ped Hemophiliac	Count	54		54
		% within Sex	.1%		.1%
	Ped Parent at Risk	Count	163	172	335
		% within Sex	.3%	2.3%	.6%
	Ped Transfusion	Count	23	20	43
		% within Sex	.0%	.3%	.1%
	Ped Confirmed Other	Count		2	2
		% within Sex		.0%	.0%
	Ped Other-Undet	Count	3	9	12
		% within Sex	.0%	.1%	.0%
Total		Count	52628	7450	60078
		% within Sex	100.0%	100.0%	100.0%

a. STATE = Texas

Cumulative Reported AIDS Cases through 12/31/02
(from the 02/27/03 HARS data set)

Race-Ethnicity * Adult-Ped Crosstabulation^a

			Adult-Ped			Total
			Pediatric	Adult/Adol escent	Unknown	
Race-Ethnicity	White Non-Hispanic	Count	92	30397	1	30490
		% within Adult-Ped	23.5%	50.9%	100.0%	50.8%
	African American	Count	191	17325		17516
		% within Adult-Ped	48.8%	29.0%		29.2%
	Hispanic	Count	106	11655		11761
		% within Adult-Ped	27.1%	19.5%		19.6%
	Asian-Pacific Islander	Count	2	203		205
		% within Adult-Ped	.5%	.3%		.3%
	Am Indian-Alaskan	Count		83		83
		% within Adult-Ped		.1%		.1%
	Not Specified	Count		23		23
		% within Adult-Ped		.0%		.0%
Total	Count	391	59686	1	60078	
	% within Adult-Ped	100.0%	100.0%	100.0%	100.0%	

a. STATE = Texas

Sex * Adult-Ped Crosstabulation^a

			Adult-Ped			Total
			Pediatric	Adult/Adol escent	Unknown	
Sex	Male	Count	206	52421	1	52628
		% within Adult-Ped	52.7%	87.8%	100.0%	87.6%
	Female	Count	185	7265		7450
		% within Adult-Ped	47.3%	12.2%		12.4%
Total		Count	391	59686	1	60078
		% within Adult-Ped	100.0%	100.0%	100.0%	100.0%

a. STATE = Texas

Living Reported AIDS Cases through 12/31/02
(from the 02/27/03 HARS data set)

STATE = Texas

Age at Diagnosis * Sex Crosstabulation^a

			Sex		Total
			Male	Female	
Age at Diagnosis	0 (0-11 mo)	Count	22	29	51
		% within Sex	.1%	.6%	.2%
	1 (12-23 mo)	Count	14	16	30
		% within Sex	.1%	.4%	.1%
	2-4	Count	19	23	42
		% within Sex	.1%	.5%	.2%
	5-12	Count	18	21	39
		% within Sex	.1%	.5%	.1%
	13-19	Count	138	121	259
		% within Sex	.6%	2.7%	1.0%
	20-24	Count	960	441	1401
		% within Sex	4.3%	9.8%	5.2%
	25-29	Count	3203	820	4023
		% within Sex	14.3%	18.3%	15.0%
	30-39	Count	10790	1783	12573
		% within Sex	48.2%	39.8%	46.8%
	40-49	Count	5477	893	6370
		% within Sex	24.4%	19.9%	23.7%
	50-59	Count	1426	262	1688
		% within Sex	6.4%	5.8%	6.3%
	60-69	Count	297	56	353
		% within Sex	1.3%	1.2%	1.3%
	70+	Count	42	16	58
		% within Sex	.2%	.4%	.2%
	Unknown	Count	1		1
		% within Sex	.0%		.0%
Total		Count	22407	4481	26888
		% within Sex	100.0%	100.0%	100.0%

a. STATE = Texas

Living Reported AIDS Cases through 12/31/02
(from the 02/27/03 HARS data set)

Current Age * Sex Crosstabulation^a

			Sex		Total
			Male	Female	
Current Age	1 (12-23 mo)	Count		1	1
		% within Sex		.0%	.0%
	2-4	Count	1	3	4
		% within Sex	.0%	.1%	.0%
	5-12	Count	46	54	100
		% within Sex	.2%	1.2%	.4%
	13-19	Count	25	47	72
		% within Sex	.1%	1.0%	.3%
	20-24	Count	174	128	302
		% within Sex	.8%	2.9%	1.1%
	25-29	Count	768	437	1205
		% within Sex	3.4%	9.8%	4.5%
	30-39	Count	7522	1699	9221
		% within Sex	33.6%	37.9%	34.3%
	40-49	Count	9550	1452	11002
		% within Sex	42.6%	32.4%	40.9%
	50-59	Count	3375	498	3873
		% within Sex	15.1%	11.1%	14.4%
	60-69	Count	791	123	914
		% within Sex	3.5%	2.7%	3.4%
70+	Count	155	39	194	
	% within Sex	.7%	.9%	.7%	
Total	Count	22407	4481	26888	
	% within Sex	100.0%	100.0%	100.0%	

a. STATE = Texas

Race-Ethnicity * Sex Crosstabulation^a

			Sex		Total
			Male	Female	
Race-Ethnicity	White Non-Hispanic	Count	10352	1079	11431
		% within Sex	46.2%	24.1%	42.5%
	African American	Count	6553	2547	9100
		% within Sex	29.2%	56.8%	33.8%
	Hispanic	Count	5344	828	6172
		% within Sex	23.8%	18.5%	23.0%
	Asian-Pacific Islander	Count	101	20	121
		% within Sex	.5%	.4%	.5%
	Am Indian-Alaskan	Count	43	5	48
		% within Sex	.2%	.1%	.2%
	Not Specified	Count	14	2	16
		% within Sex	.1%	.0%	.1%
	Total	Count	22407	4481	26888
		% within Sex	100.0%	100.0%	100.0%

a. STATE = Texas

Living Reported AIDS Cases through 12/31/02
(from the 02/27/03 HARS data set)

Mode of Exposure * Sex Crosstabulation^a

			Sex		Total
			Male	Female	
Mode of Exposure	Male-to-Male Sex	Count	13521		13521
		% within Sex	60.3%		50.3%
	IDU	Count	2839	1403	4242
		% within Sex	12.7%	31.3%	15.8%
	M-M & IDU	Count	2246		2246
		% within Sex	10.0%		8.4%
	Hemophiliac	Count	65	5	70
		% within Sex	.3%	.1%	.3%
	Heterosexual Contact	Count	1294	1966	3260
		% within Sex	5.8%	43.9%	12.1%
	Transfusion	Count	89	71	160
		% within Sex	.4%	1.6%	.6%
	Not Classified	Count	2258	936	3194
		% within Sex	10.1%	20.9%	11.9%
	Ped Hemophiliac	Count	24		24
		% within Sex	.1%		.1%
	Ped Parent at Risk	Count	62	88	150
		% within Sex	.3%	2.0%	.6%
	Ped Transfusion	Count	8	3	11
		% within Sex	.0%	.1%	.0%
	Ped Confirmed Other	Count		1	1
		% within Sex		.0%	.0%
	Ped Other-Undet	Count	1	8	9
		% within Sex	.0%	.2%	.0%
Total		Count	22407	4481	26888
		% within Sex	100.0%	100.0%	100.0%

a. STATE = Texas

Living Reported AIDS Cases through 12/31/02
(from the 02/27/03 HARS data set)

Race-Ethnicity * Adult-Ped Crosstabulation^a

			Adult-Ped			Total
			Pediatric	Adult/Adol escent	Unknown	
Race-Ethnicity	White Non-Hispanic	Count	33	11397	1	11431
		% within Adult-Ped	20.4%	42.6%	100.0%	42.5%
	African American	Count	79	9021		9100
		% within Adult-Ped	48.8%	33.8%		33.8%
	Hispanic	Count	50	6122		6172
		% within Adult-Ped	30.9%	22.9%		23.0%
	Asian-Pacific Islander	Count		121		121
		% within Adult-Ped		.5%		.5%
	Am Indian-Alaskan	Count		48		48
		% within Adult-Ped		.2%		.2%
	Not Specified	Count		16		16
		% within Adult-Ped		.1%		.1%
Total		Count	162	26725	1	26888
		% within Adult-Ped	100.0%	100.0%	100.0%	100.0%

a. STATE = Texas

Sex * Adult-Ped Crosstabulation^a

			Adult-Ped			Total
			Pediatric	Adult/Adol escent	Unknown	
Sex	Male	Count	73	22333	1	22407
		% within Adult-Ped	45.1%	83.6%	100.0%	83.3%
	Female	Count	89	4392		4481
		% within Adult-Ped	54.9%	16.4%		16.7%
Total		Count	162	26725	1	26888
		% within Adult-Ped	100.0%	100.0%	100.0%	100.0%

a. STATE = Texas

Prevalent Reported Cases of HIV/AIDS through 12/31/02
(Living HIV/AIDS Cases - combined - from 02/27/03 HARS data)

STATE = Texas

Age at Diagnosis * Sex Crosstabulation^a

			Sex		Total
			Male	Female	
Age at Diagnosis	0 (0-11 mo)	Count	116	117	233
		% within Sex	.3%	1.3%	.6%
	1 (12-23 mo)	Count	31	43	74
		% within Sex	.1%	.5%	.2%
	2-4	Count	46	41	87
		% within Sex	.1%	.5%	.2%
	5-12	Count	56	42	98
		% within Sex	.2%	.5%	.2%
	13-19	Count	358	558	916
		% within Sex	1.1%	6.4%	2.2%
	20-24	Count	2133	1187	3320
		% within Sex	6.4%	13.7%	7.9%
	25-29	Count	5035	1574	6609
		% within Sex	15.1%	18.1%	15.8%
	30-39	Count	15260	3042	18302
		% within Sex	45.9%	35.0%	43.7%
	40-49	Count	7742	1513	9255
		% within Sex	23.3%	17.4%	22.1%
	50-59	Count	1983	442	2425
		% within Sex	6.0%	5.1%	5.8%
	60-69	Count	400	97	497
		% within Sex	1.2%	1.1%	1.2%
	70+	Count	63	25	88
		% within Sex	.2%	.3%	.2%
	Unknown	Count	17	4	21
		% within Sex	.1%	.0%	.1%
Total		Count	33240	8685	41925
		% within Sex	100.0%	100.0%	100.0%

a. STATE = Texas

Prevalent Reported Cases of HIV/AIDS through 12/31/02
(Living HIV/AIDS Cases - combined - from 02/27/03 HARS data)

Current Age * Sex Crosstabulation^a

			Sex		Total
			Male	Female	
Current Age	0 (0-11 mo)	Count	3	5	8
		% within Sex	.0%	.1%	.0%
	1 (12-23 mo)	Count	11	7	18
		% within Sex	.0%	.1%	.0%
	2-4	Count	33	28	61
		% within Sex	.1%	.3%	.1%
	5-12	Count	137	147	284
		% within Sex	.4%	1.7%	.7%
	13-19	Count	99	177	276
		% within Sex	.3%	2.0%	.7%
	20-24	Count	824	664	1488
		% within Sex	2.5%	7.6%	3.5%
	25-29	Count	1991	1156	3147
		% within Sex	6.0%	13.3%	7.5%
	30-39	Count	11865	3163	15028
		% within Sex	35.7%	36.4%	35.8%
	40-49	Count	12825	2332	15157
		% within Sex	38.6%	26.9%	36.2%
	50-59	Count	4287	762	5049
		% within Sex	12.9%	8.8%	12.0%
	60-69	Count	968	191	1159
		% within Sex	2.9%	2.2%	2.8%
	70+	Count	191	50	241
		% within Sex	.6%	.6%	.6%
	Unknown	Count	6	3	9
		% within Sex	.0%	.0%	.0%
	Total	Count	33240	8685	41925
		% within Sex	100.0%	100.0%	100.0%

a. STATE = Texas

Prevalent Reported Cases of HIV/AIDS through 12/31/02
(Living HIV/AIDS Cases - combined - from 02/27/03 HARS data)

Race-Ethnicity * Sex Crosstabulation^a

			Sex		Total
			Male	Female	
Race-Ethnicity	White Non-Hispanic	Count	14897	2030	16927
		% within Sex	44.8%	23.4%	40.4%
	African American	Count	10354	5058	15412
		% within Sex	31.1%	58.2%	36.8%
	Hispanic	Count	7693	1535	9228
		% within Sex	23.1%	17.7%	22.0%
	Asian-Pacific Islander	Count	159	32	191
		% within Sex	.5%	.4%	.5%
	Am Indian-Alaskan	Count	67	12	79
		% within Sex	.2%	.1%	.2%
	Not Specified	Count	70	18	88
		% within Sex	.2%	.2%	.2%
	Total	Count	33240	8685	41925
		% within Sex	100.0%	100.0%	100.0%

a. STATE = Texas

Prevalent Reported Cases of HIV/AIDS through 12/31/02
(Living HIV/AIDS Cases - combined - from 02/27/03 HARS data)

Mode of Exposure * Sex Crosstabulation^a

			Sex		Total
			Male	Female	
Mode of Exposure	Male-to-Male Sex	Count	19193		19193
		% within Sex	57.7%		45.8%
	IDU	Count	4169	2305	6474
		% within Sex	12.5%	26.5%	15.4%
	M-M & IDU	Count	3160		3160
		% within Sex	9.5%		7.5%
	Hemophiliac	Count	74	7	81
		% within Sex	.2%	.1%	.2%
	Heterosexual Contact	Count	1978	3757	5735
		% within Sex	6.0%	43.3%	13.7%
	Transfusion	Count	111	94	205
		% within Sex	.3%	1.1%	.5%
	Not Classified	Count	4284	2268	6552
		% within Sex	12.9%	26.1%	15.6%
	Ped Hemophiliac	Count	36	1	37
		% within Sex	.1%	.0%	.1%
	Ped Parent at Risk	Count	204	225	429
		% within Sex	.6%	2.6%	1.0%
	Ped Transfusion	Count	9	6	15
		% within Sex	.0%	.1%	.0%
	Ped Confirmed Other	Count		1	1
		% within Sex		.0%	.0%
	Ped Other-Undet	Count	22	21	43
		% within Sex	.1%	.2%	.1%
Total		Count	33240	8685	41925
		% within Sex	100.0%	100.0%	100.0%

a. STATE = Texas

Prevalent Reported Cases of HIV/AIDS through 12/31/02
(Living HIV/AIDS Cases - combined - from 02/27/03 HARS data)

Race-Ethnicity * Adult-Ped Crosstabulation^a

			Adult-Ped			Total
			Pediatric	Adult/Adol escent	Unknown	
Race-Ethnicity	White Non-Hispanic	Count	104	16812	11	16927
		% within Adult-Ped	21.1%	40.6%	52.4%	40.4%
	African American	Count	266	15140	6	15412
		% within Adult-Ped	54.1%	36.6%	28.6%	36.8%
	Hispanic	Count	115	9109	4	9228
		% within Adult-Ped	23.4%	22.0%	19.0%	22.0%
	Asian-Pacific Islander	Count	1	190		191
		% within Adult-Ped	.2%	.5%		.5%
	Am Indian-Alaskan	Count		79		79
		% within Adult-Ped		.2%		.2%
	Not Specified	Count	6	82		88
		% within Adult-Ped	1.2%	.2%		.2%
Total	Count	492	41412	21	41925	
	% within Adult-Ped	100.0%	100.0%	100.0%	100.0%	

a. STATE = Texas

Sex * Adult-Ped Crosstabulation^a

			Adult-Ped			Total
			Pediatric	Adult/Adol escent	Unknown	
Sex	Male	Count	249	32974	17	33240
		% within Adult-Ped	50.6%	79.6%	81.0%	79.3%
	Female	Count	243	8438	4	8685
		% within Adult-Ped	49.4%	20.4%	19.0%	20.7%
Total		Count	492	41412	21	41925
		% within Adult-Ped	100.0%	100.0%	100.0%	100.0%

a. STATE = Texas